



CONFER
plastics inc.

THE
LEADER
IN
LADDERS

The Industry Leader in Pool Ladders

Model 7200



Roll-Guard A-Frame Safety Ladder

Standard features of the Roll-Guard Ladder:

- Aesthetically pleasing contemporary design in beautiful warm gray color to complement today's brown or gray tone pools
- Large 5 inch x 18 inch wide Comfortreads
- Curved side rails designed with strength in mind
- Inner side rails include integrated side barriers to prevent entry behind the ladder
- Easy assembly with minimal hardware
- Adjusts to fit pools **48" to 56"** tall
- Lockable Roll-Guard Barrier (lock included)
- Extra-large top platform
- Just fill side rails with water to prevent floating, no sand or bricks needed
- Fits pool top seats up to 14 inches wide
- Weight guideline: **300 lbs.**
- Five year pro-rated warranty



G7200 Roll-Guard Gate

- Attached easily to our Roll-Guard Ladder to provide added security
- Self-closing and self-latching
- Satisfies most building inspector requirements
- Latch located well out of reach of small children
- Contoured design "hugs" ladder steps and restricts access
- Padlock included

Available
Spring 2011-
Conversion Kit
to change
a-frame ladder
to deck
ladder



Model 7100B



Evolution A-Frame Ladder

- Economical yet full-featured A-Frame Ladder
- Adjustable to fit **48" to 54"** high pools
- Each side adjusts independently
- Snap-lock treads for quicker, easier assembly
- Five treads on each side
- Swing-up outer treads for safety
- Outer treads can be padlocked (padlock included)
- Full 16" inside tread width
- Strong sturdy design
- Large top platform
- Minimal hardware
- No sand or bricks required; fills with water
- Five year pro-rated warranty
- Weight guideline: **300 lbs.**
- Padlock included



Convertible
to Inpool Ladder
using
#CK7100 kit –
sold separately.

**Includes
ANSI/APSP
REQUIRED
BARRIER**

Model 7000B



The Eliminator Ladder

- Eliminator A-Frame Ladder for **48" to 54"** pools
- Heavy-duty construction
- Outside treads swing up into an upright position for security
- No sand or bricks required to prevent floating; fills with water
- Outer treads can be padlocked (cable lock included)
- Weight guideline: **300 lbs.**
- Treads measure 5" x 18" wide
- Five year pro-rated warranty



Convertible
to Inpool Ladder
using
#CK100 kit –
sold separately.

**Includes
ANSI/APSP
REQUIRED
BARRIER**

A FRAME LADDERS, IN POOL

Model 6000B



Heavy-Duty Inpool Ladder

- Five large treads
- Treads measure 5" x 18" wide
- 22" high handrails; 9-1/2" span
- All-plastic construction
- Weight guideline: **300 lbs.**
- Adjusts to fit deck heights **42" to 56"**
- Five year pro-rated warranty
- Optional #6000-EXT Extension Kit available



**Includes
ANSI/APSP
REQUIRED
BARRIER**

Model 6100B



Evolution Inpool Ladder

- Economical, full-featured inpool ladder
- Fits decks up to **54" high**
- Snap-lock treads for quicker, easier assembly
- Five treads
- Full 16" inside tread width
- Strong sturdy design
- Minimal hardware
- No sand or bricks required; fills with water
- Attaches easily to deck; no extra parts required
- Five year pro-rated warranty
- Weight guideline: **300 lbs.**
- Optional #6100-EXT Extension Kit available



**Includes
ANSI/APSP
REQUIRED
BARRIER**

Model 635-52



Economy Inpool Ladder

- Straight Up and Down Inpool
- Does not require barrier
- Adjusts to fit deck heights **46" to 56"**
- 18" Width; 22" High handrails
- Weight guideline: **250 lbs.**
- One year full warranty
- Optional EB100 extension kit available

LADDERS, & POOL STEPS

Step-1



Confer Step

Designed for easy pool entry

- Inpool Step for 48" to 58" pools and decks
- Easy, snap-together assembly
- Large, flat steps each with 270 square inches of surface area
- Compact packaging – can be shipped by UPS-FEDEX
- Includes mounting brackets to fasten to deck
- Side openings help to reduce algae growth under unit
- Weight guideline: **400 lbs**
- Five year pro-rated warranty
- Requires 40 pounds of sand for installation

Note: The Confer-Step is designed for use in flat-bottom pools only. Our Pool Entry System can be adjusted to fit most dished-bottom pools.

Model 8000



Entry Ladder

Economical Entry/Exit System

- When combined with #Step-1 it forms an economical Entry/Exit System for 48" to 54" pools
- Outside treads swing up into an upright position for security
- 18" wide; 22" high handrail, 9-1/2" span
- Weight guideline: **300 lbs.**
- Cable lock included




To make the complete Entry/Exit System you will need to purchase both:
(1) #8000 Entry Ladder
(1) #Step-1
(total of 2 cartons)

"Safe and Secure" System



Model S.I.G.

- Satisfies most building inspector and insurance requirements in most states
- Self-closing, self-latching gate restricts access to pool
- Gate includes self-closing mechanism (see inset photo) for a sure close everytime
- Gate includes padlock for complete security
- Inpool ladder takes up minimal space inside pool
- Steps and ladder can be separated and used individually if a deck is built
- Inpool ladder features anti-entrapment barrier



Now with
Automatic Gate Closer!

POOL STEPS (CONT'D)

Model PES



Pool Entry System

An excellent system for safety and convenience.

- Meets **ANSI/APSP** standards
- Adjusts to fit **48" to 54"** pools and decks
- Adjusts to fit most uneven or dished-bottom pools
- Top step covers the pool top seat in most installations
- Easy assembly; no metal parts
- Does not attach to pool
- Side openings help to reduce algae growth under unit
- Excellent for elderly, slightly handicapped, or heavy swimmers
- Non-slip step surfaces
- Large, flat steps each with 270 square inches of surface
- Includes deck connector
- Fills with water to prevent floating; no sand needed
- Weight guideline: **400 lbs.**
- Five year, pro-rated warranty
- Includes Automatic Gate Closer

Pool Entry System Specifications:

Projection into pool	36"
Width	31"
Step dimension	10" x 27"
Riser height	11"
Handrail height	32" from top step
Specifications subject to change without notice. (all specifications are approximate)	

Gate Specifications:

Height of gate	58"
Width of gate	27"
Height of latch	57"
Gate is self closing self latching (all specifications are approximate)	

Available in following configurations:

- Model #PES-1 - Individual Entry System for use off of a deck
- Model #PES-DBL - Two Entry Systems with gate for use on pools without a deck
- Model #PES-G - Gate only

Important: **For safety, all of our products should be used with competent supervision.**



Confer Plastics, Inc.
97 Witmer Road
North Tonawanda, NY USA 14120-2421
800-635-3213
Fax: 716-694-3102
www.conferladders.com
email: ladders@conferplastics.com



PRINTED IN USA

Product and specifications subject to change without notice
Patent #5,244,291 Patents Pending

Enclosure System

Confer-Step Enclosure System




To make the complete System you will need:

- (2) #Step-1 units
(2 cartons)
- (1) #Step-ENC kit w/gate
(2 cartons)
- (total of 4 cartons)

The Enclosure System provides security first, by enclosing the steps with pickets, and secondly, with its self-closing, self-latching gate. It meets current BOCA codes and satisfies most building inspectors.

Allows two #Step-1 units to be joined together, enclosed, and gated to restrict access by small children. Kit consists of connecting step, connecting rails, enclosure pickets and rails, and a self-closing, self-latching gate (includes automatic gate closer).

Note: For best results place outside step units on level patio blocks.



Skim-It

- Increases skimmer efficiency
- Attaches easily to most skimmers without tools
- Low cost, easy to use
- Blade is easily removable when swimming